



**LINCOLN
MARINE**



Lincoln Marine Dock Accessory Installation – Diving Platform

March 2026

Thank you for your purchase. At Lincoln Marine we strive to build strong, durable, innovative products that will help you enjoy your lake experience.

For any questions, contact Lincoln Marine at 573-745-0154

Important Safety Instructions

- Use personal protective equipment (not included) when operating power tools.
- Do not expose power tools to water. Use a GFCI protected power supply when operating near water.
- Ensure that your decking is in good condition, properly supported and fastened to your dock frame and sufficiently structurally substantial to support the dock accessory.
- Ensure that your deck surface is level within 2 degrees from horizontal.

Safety Warnings

- Be sure that the water around diving platform is clear of obstructions or anything that could harm you when you enter the water and that the water is sufficiently deep to allow you to safely dive into the water from the diving platform.
- While on the diving platform, always maintain 3-point contact with the platform steps and handrails.
- Never allow more than one person on the diving platform at the same time.
- Do not exceed the capacity of 400 pounds on the diving platform.
- Never run up or down the diving platform steps.
- Always use the handrail when climbing the diving platform steps.
- Do not allow unsupervised children to use the diving platform.
- Regularly inspect the mounting hardware and the structural integrity of the diving platform.
- Ensure that the grounding cable is in place and in good repair.
- Keep the area around the diving platform free of trip hazards.

Installation of Diving Platform

- The diving platform is supplied with four attachment holes in each of four mounting brackets. Install a 3/8" Grade 5 or stronger fastener in every one of the 8 attachment holes. The type of fastener needed will be determined by you based on the type of dock decking that you have on your dock.
 - o Ensure that your decking is in good condition, properly supported and fastened to your dock frame and sufficiently structurally substantial to support the dock accessory.
 - o Ensure that your deck surface is level within 2 degrees from horizontal.
- Once you have sufficiently secured the diving platform to the dock decking, install the grounding cable.

